

High Capacity Cylindrical Roller Bearings EG Series



Large Rollers Provide High Load Capacity, Low Temperature Rise and Long Life High Capacity Cylindrical Roller Bearings EG Series

High Capacity

NACHI EG series of cylindrical roller bearings have maximized load capacity for the same standard boundary dimensions by adopting an optimum design of roller with larger diameters and increased length.



High Reliability

This high capacity bearing allows you to plan a more compact design by selecting smaller bearings or to improve the reliability of the existing bearing arrangement.


Contributing to the design is **NACHI EXCEL CROWNING** (PAT. pending) which optimizes the internal geometry in the contacting area between roller and raceway under various loading conditions.

Low Noise & Less Heat Generation


By utilizing a **NACHI** glass reinforced nylon cage, a lower noise and less heat generating operation is realized. In particular, the unique design of **NACHI** nylon cages provides the additional benefit of low temperature operation in a grease lubricated application.





NU Type



NJ Type




NUP Type



Boundary dimensions (mm)						Bearing No.	Dynamic Load Rating Cr (N)	Static Load Rating Cor (N)	Speed Ratings (rpm)		Adutment and Fillet Dimensions (mm)						Reference Weight (kg) NU	
d	D	B	Fw	r (Min.)	r1 (Min.)				NU, NJ, NUP	Grease Lubrication	Oil Lubrication	d _b (Min.)	d _b (Max.)	d _c (Min.)	d _d (Min.)	D _a (Max.)		r _a (Max.)
20	52	15	27.5	1.1	0.6	304EG	31500	26900	12000	15000	25	27	30	33	45	1	0.6	0.150
	52	15	31.5	1	0.6	205EG	29300	27700	12000	14000	30	31	34	37	46	1	0.6	0.140
25	52	18	31.5	1	0.6	2205EG	35000	34500	12000	14000	30	31	34	37	46	1	0.6	0.185
	62	17	34	1.1	1.1	305EG	41500	37500	10000	12000	32	33	37	40	55	1	1	0.240
30	62	16	37.5	1	0.6	206EG	39000	37500	9500	12000	35	37	40	44	56	1	0.6	0.210
	62	20	37.5	1	0.6	2206EG	49000	50000	9500	12000	35	37	40	44	56	1	0.6	0.295
35	72	19	40.5	1.1	1.1	306EG	53000	50000	8500	10000	37	40	44	48	65	1	1	0.370
	72	17	44	1.1	0.6	207EG	50500	50000	8500	10000	40	43	46	50	65	1	0.6	0.300
40	72	23	44	1.1	0.6	2207EG	61500	65000	8500	10000	40	43	46	50	65	1	0.6	0.446
	80	21	46.2	1.5	1.1	307EG	66500	65500	7500	9500	42	45	48	53	71.5	1.5	1	0.490
45	80	18	49.5	1.1	1.1	208EG	55500	55500	9500	9000	47	49	52	56	73	1	1	0.380
	80	23	49.5	1.1	1.1	2208EG	72500	77500	7500	9000	47	49	52	56	73	1	1	0.743
50	90	23	52	1.5	1.5	308EG	83000	81500	6700	8000	48.5	51	55	60	81.5	1.5	1.5	0.670
	85	19	54.5	1.1	1.1	209EG	63000	66500	7000	8500	52	54	57	61	78	1	1	0.440
55	85	23	54.5	1.1	1.1	2209EG	76000	84500	7000	8500	52	54	57	61	78	1	1	0.593
	100	25	58.5	1.5	1.5	309EG	97500	98500	6000	7500	53.5	57	60	66	91.5	1.5	1.5	0.910
60	90	20	59.5	1.1	1.1	210EG	69000	76500	6400	7700	57	58	62	67	83	1	1	0.490
	90	23	59.5	1.1	1.1	2210EG	83500	97000	6400	8000	57	58	62	67	83	1	1	0.632
65	110	27	65	2	2	310EG	110000	113000	5400	6500	60	63	67	73	100	2	2	1.170
	100	21	66	1.5	1.1	211EG	86500	98500	5800	7100	62	65	68	73	91.5	1.5	1	0.670
70	100	25	66	1.5	1.1	2211EG	101000	122000	5800	7100	62	65	68	73	91.5	1.5	1	0.870
	120	29	70.5	2	2	311EG	137000	143000	4800	5600	65	69	72	80	110	2	2	1.500
75	130	31	77	2.1	2.1	312EG	150000	157000	4300	5000	72	75	79	86	118	2	2	1.870

Note: (1) The dimension table shows limiting speed for bearings made with machined cages. For bearings made with pressed steel cages, multiply the table limits by 0.8.

< Weibull Distribution Chart >



Test evaluation for high capacity cylindrical roller bearing (EG-Series)

● Test conditions


- (1) Test bearing
NU307 (Pressed Steel Cage)
NU307EG (Glass Reinforced Nylon Cage)
- (2) Rotating Speed : 2000 min⁻¹
- (3) Radial Load : 19600 N
- (4) Lubricating Oil : 75W10 (Oil Bath)

● Calculated and measured service life

Unit : h

	Calculated service life	Measured service life
NU307	1	1
NU307EG	3.2 times	3.5 times or more

< Temperature rise test >



● Test conditions

- Rotating Speed : 2000 - 12000 min⁻¹
- Radial Load : 11800N
- Lubrication : Grease



NACHI-FUJIKOSHI CORP.

URL: <http://www.nachi-fujikoshi.co.jp>

E-mail: webmaster@nachi-fujikoshi.co.jp

Tokyo Head Office : Shiodome Sumitomo Bldg. 17F 1-9-2 Higashi-shinbashi, Minato-ku, Tokyo 105-0021, Japan

Phone: +81-(0)3-5568-5111 Fax. +81-(0)3-5568-5206

Toyama Head Office : 1-1-1 Fujikoshi-Honmachi, Toyama, Japan 930-8511

Phone: +81-(0)76-423-5111 Fax. +81-(0)76-493-5211

Overseas Sales Companies

AMERICA

● NACHI AMERICA

INC. HEADQUARTERS

17500 Twenty-Three Mile Road, Macomb,
Michigan, 48044, U.S.A.
Phone: +1-586-226-5151 Fax. +1-888-383-8665
URL: <http://www.nachi.com/>

INDIANA BRANCH

715 Pushville Road, Greenwood, Indiana, 46143,
U.S.A.
Phone: +1-317-535-5527 Fax. +1-317-535-3659

WEST COAST BRANCH

12652 E. Alondra Blvd. Cerritos, California, 90703,
U.S.A.
Phone: +1-562-802-0055 Fax. +1-562-802-2455

MIAMI BRANCH - LATIN AMERICA DIV.

2315 N.W. 107th Ave., Doral, Florida, 33172,
U.S.A.
Phone: +1-305-591-0054/0059/2604
Fax. +1-305-591-1310

ATLANTA SALES OFFICE

Six Concourse Parkway, Suite 2995 Atlanta, GA
30328, U.S.A.
Phone: +1-770-393-0270 Fax. +1-770-393-0271

● NACHI ROBOTIC SYSTEMS INC.

22285 Roethel Drive, Novi, Michigan, 48375,
U.S.A.
Phone: +1-248-305-6545 Fax. +1-248-305-6542
URL: <http://www.nachirobotics.com/>

KENTUCKY SERVICE CENTER

116 Collision Center Drive, Suite-1, Frankfort, KY
40601, U.S.A.
Phone: +1-502-695-4816 Fax. +1-502-695-4818

● NACHI CANADA INC.

89 Courtland Ave., Unit No.2, Concord, Ontario,
L4K 3T4, CANADA
Phone: +1-905-660-0088 Fax. +1-905-660-1146
URL: <http://www.nachicanada.com/>

● NACHI MEXICANA, S.A. DE C.V.

Gral. Mariano Arista No.54, Local 5, Col. Argentina
C.P. 11230, Mexico D.F. MEXICO
Phone: +52-55-5386-1396 Fax. +52-55-5386-1336

EUROPE

● NACHI EUROPE GmbH

Bischofstrasse 99, 47809, Krefeld, GERMANY
Phone: +49-(0)2151-65046-0
Fax. +49-(0)2151-65046-90
URL: <http://www.nachi.de/>

SPAIN BRANCH

Av. Alberto Alcocer 28, 1-A, 28036, Madrid, SPAIN
Phone: +34-(0)91-302-6440 Fax.
+34-(0)91-383-9486

BARCELONA OFFICE

Josep Tarradellas, 58, 1-5, 08029 Barcelona, SPAIN
Phone: +34-(0)93-430-6247
Fax. +34-(0)93-419-0897

BILBAO OFFICE

Gran Via 44, 7-D, 48011 Bilbao, SPAIN
Phone: +34-(0)94-443-7319
Fax. +34-(0)94-410-5263

CZECH BRANCH

Mostni 73, Kolin 4, 28002, CZECH
Phone: +420-321-710-200
Fax. +420-321-710-200

U.K. BRANCH

Unit 7, Junction Six Industrial Estate, Electric
Avenue, Birmingham B6 7JJ, U.K.
Phone: +44-(0)121-250-1890
Fax. +44-(0)121-250-1899
URL: <http://www.nachi.co.uk/>

● NACHI-FUJIKOSHI CORP.

ITALY REPRESENTATIVE OFFICE

Via delle Lame 75, 3 piano-interno 8
40122, Bologna, ITALY
Phone: +39-051-649-4808
Fax. +39-051-528-2149

ASIA and OCEANIA

● NACHI-FUJIKOSHI CORP.

THAILAND REPRESENTATIVE OFFICE

Chai-wo Wongwaiwat Bldg. 889 Srinakarim Road,
Samutprakarn, THAILAND 10270
Phone: +66-2-748-7322~4
Fax. +66-2-748-7325

● NACHI SINGAPORE PTE. LTD.

No.2 Joo Koon Way, Jurong Town, Singapore
628943, SINGAPORE
Phone: +65-65587393 Fax. +65-65587371

VIETNAM OFFICE

Room 1608, 16/F Saigon Tower 29 Le Duan Street,
District 1, Ho Chi Minh City, VIETNAM
Phone: +84-8-823-6299
Fax. +84-8-823-6288

● FUJIKOSHI-NACHI (MALAYSIA) SDN. BHD.

No.17, Jalan USJ 21/3, 47630 UEP Subang Jaya,
Selangor Darul Ehsan, MALAYSIA
Phone: +60-(0)3-80247900
Fax. +60-(0)3-80235884

● P.T.NACHI INDONESIA

Jl.H.R.Rasuna Said Kav.X-O
Kuningan, Jakarta 12950, INDONESIA
Phone: +62-012-527-2841 Fax. +62-021-527-3029

● NACHI PILIPINAS INDUSTRIES, INC.

1st Avenue, Manalac Compound, Sta. Maria
Industrial Estate, Bagumbayan, Taguig, Metro
Manila, PHILIPPINES
Phone: +63-(0)2-838-3620 Fax.
+63-(0)2-838-3623

MANILA OFFICE

Km23 East Service Road, Capang Muntinlupa,
City Metro Manila, PHILIPPINES
Phone: +63-(0)2-850-0864 Fax.
+63-(0)2-850-0864

● 那智不二越 (上海) 贸易有限公司

NACHI (Shanghai) CO.,LTD.

Rm No.1602, Ocean Towers No. 550, Yanan Road
.E. Huangpu District, Shanghai, CHINA
Post Code 200001
Phone: +86-(0)21-6360-3680
Fax. +86-(0)21-6360-3682

● NACHI-FUJIKOSHI CORP.

TAIPEI REPRESENTATIVE OFFICE

3F No.276, Sec3, Chung Ching N.Road,
Taipei, TAIWAN
Phone: +886-(0)2-2596-0118
Fax. +886-(0)2-2596-5346

● NACHI-FUJIKOSHI CORP.

KOREA REPRESENTATIVE OFFICE

2F Dongsan Bldg. 276-4, Sungsu 2GA-3DONG
Sungdong-Ku. Seoul 133-123, KOREA
Phone: +82-(0)2-469-2254
Fax. +82-(0)2-469-2264

● NACHI (AUSTRALIA) PTY. LTD.

Unit 1, 23-29 South Street, Rydalmere, N.S.W,
2116, AUSTRALIA
Phone: +61-(0)2-9898-1511
Fax. +61-(0)2-9898-1678
URL: <http://www.nachi.com.au/>

Overseas Manufacturing Companies

AMERICA

● NACHI TECHNOLOGY INC.

713 Pushville Road, Greenwood, Indiana, 37008,
U.S.A.
Phone: +1-317-535-5000
Fax. +1-317-535-8484
URL: <http://nachtech.com/>

● NACHI MACHINING TECHNOLOGY CO.

17500 Twenty-three Mile Road, Macomb,
Michigan, 48044, U.S.A.
Phone: +1-586-263-0100
Fax. +1-586-263-4571
URL: <http://www.nachimtc.com/>

● NACHI BRASIL LTDA.

Avenida João XX III, No.2330, Jardim São Pedro,
Mogi das Cruzes, S.P., BRAZIL, CEP 08830-000
Phone: +55-11-4793-8800
Fax. +55-11-4793-8870
URL: <http://www.nachi.com.br/>

EUROPE

● NACHI INDUSTRIAL, S.A.

Pol. Industrial, El Montalvo, Parc. 74 37008,
Salamanca, SPAIN
Phone: +34-(0)923-190516
Fax. +34-(0)923-194320

● NACHI CZECH S.R.O

Prumyslova 2732, 44001 Louny, CZECH
Phone: +420-415-930-630
Fax. +420-415-930-940

ASIA and OCEANIA

● NACHI INDUSTRIES PTE. LTD.

No.2 Joo Koon Way, Jurong Town, Singapore
628943, SINGAPORE
Phone: +65-68613944
Fax. +65-68611153
URL: <http://www.nachinip.com.sg/>

● NACHI TECHNOLOGY (THAILAND) CO., LTD.

3/16 M, 2, Rojana Industrial Estate
Nongbua, Ban Khai, Rayong, 21120, THAILAND
Phone: +66-38-961-682
Fax. +66-38-961-683

● 建越工業股份有限公司

NACHI C.Y. CORP.

No.109, Kao Young North Rd, Lung-Tan Hsin,
Tao-Yuan Hsien, TAIWAN
Phone: +886-(0)3-471-7651
Fax. +886-(0)3-471-8402

● 东莞建越精密轴承有限公司

DONGGUAN NACHI C.Y. CORP.

Dangyong Village, Hongmei Town Dongguan City,
Guangdong, CHINA
Phone: +86-(0)769-843-1300
Fax. +86-(0)769-843-1330

● 대성나찌 유압공업(주)

DAESUNG-NACHI HYDRAULICS CO., LTD.

289-22, Yousan-Dong, Yangsan-Si Kyungnam
626-800, KOREA
Phone: +82-(0)55-385-7891~3
Fax. +82-(0)55-384-3270

● 上海不二越精密轴承有限公司

SHANGHAI NACHI BEARINGS CO.,LTD.

258, Fengmao Rd. Malu Town,
Jiading, Shanghai, CHINA
Phone: +86-(0)21-6915-6200
Fax. +86-(0)21-6915-6202